WHAT IS CLAIMED IS:

- 1. A polysulfone composition comprising:
- a polysulfone;

an organic phosphorous-containing melt stabilizer; and

at least one of the following additives:

a blue to violet dye; and an

organic optical brightener.

- 2. The polysulfone composition according to claim 1, wherein the composition comprises a composition containing from about 30 ppm to about 3000 ppm by weight of an organic phosphorous-containing melt stabilizer selected from the group consisting of phosphites, phosphonites, and mixtures thereof.
- 3. The polysulfone composition according to claim 1 or 2, wherein the composition is bisphenol A polysulfone with the following structure:

$$\begin{array}{c|c} & & & \\ \hline & &$$

- 4. The polysulfone composition according to any of claims 1 to 3, wherein the polysulfone is a copolymer comprising at least 75 mole % bisphenol A and up to 25 mole % of another bisphenol selected from the group consisting of bisphenol S, bisphenol O, biphenol, and hydroquinone.
- 5. A polysulfone composition having a total luminous light transmittance of 84 % or greater when measured on 0.1 inch thick specimens using ASTM D-1003 and also meeting at least one of the following two conditions: 1) a yellowness index (YI) of less than about 5.0 as measured according to ASTM D-1925 on 0.1 inch thick specimens, or 2) a color

factor (CF) of less than about 25, wherein CF is defined by the following equation:

$$CF = 270[(x+y)_{sample} (x+y)_{air}]/t$$

wherein x and y are chromaticity coordinates measured in transmittance mode and t is sample thickness in inches.

PCT/US03/11501

- 6. The polysulfone composition according to claim 5, wherein the composition further comprises an organic optical brightener.
- 7. The polysulfone composition according to claims 5 or 6, wherein the composition further comprises a violet to blue dye.
- 8. The polysulfone composition according to any of claims 5 to 7, wherein the composition comprises a composition containing from about 30 ppm to about 3000 ppm by weight of an organic phosphorous-containing melt stabilizer selected from the group consisting of phosphites, phosphonites, and mixtures thereof.
- 9. The polysulfone composition according to any of claims 5 to 8, wherein the composition is bisphenol A polysulfone with the following structure:

$$- \left[\begin{array}{c} CH_3 \\ CH_3 \\ CH_3 \\ \end{array} \right]$$

- 10. The polysulfone composition according to any of claims 5 to 8, wherein the polysulfone is a copolymer comprising at least 75 mole % bisphenol A and up to 25 mole % of another bisphenol selected from the group consisting of bisphenol S, bisphenol O, biphenol, and hydroquinone.
- 11. A melt fabricated article made from the polysulfone composition according to any of claims 1-10.

- 12. An injection molded or compression molded article made from the polysulfone composition according to any of claims 1-10.
- 13. A hybrid injection-compression molded article made from the polysulfone composition according to any of claims 1-10.
- 14. An extruded article made from the polysulfone composition according to any of claims 1-10.
- 15. A blow-molded article made from the polysulfone composition according to any of claims 1-10.
- 16. A thermoformed article made from the polysulfone composition according to any of claims 1-10.
- 17. A transparent, molded polysulfone article having a yellowness index less than 1.00.
- 18. The transparent, molded polysulfone article according to claim 17, wherein the yellowness index is less than 0.75.
- 19. The transparent, molded polysulfone article according to claim 18, wherein the yellowness index is less than 0.50.
- 20. A transparent, molded polysulfone article having a color factor less than about 5.
- 21. The transparent, molded polysulfone article according to claim 20, wherein the color factor is less than 4.
- 22. The transparent, molded polysulfone article according to claim 21, wherein the color factor is less than 3.
- 23. The transparent, molded article according to any of claims 17 to 22, wherein the molded article is an optical component.

- 24. The transparent, molded article according to claim 23, wherein the molded article is a lens.
- 25. The transparent, molded lens according to claim 24, wherein the lens is an ophthalmic lens.
 - 26. A transparent layer of polysulfone having a yellowness index of less than 1.00.
 - 27. A transparent layer of polysulfone having a color factor of less than 5.